

Safety Data Sheet in accordance with 2001/58/EEC


Flexifiller

Version : 01
Created on 30/10/05
Date of Printing : 23/06/13

1. Identification of the substance / preparation and company

Trade name
Flexifiller

Restorers Limited
Identification of the company

 Leather Repair Company,
Unit 16 Argyle Street Factory Estate,
Hull, East Yorkshire, HU3 1HD
Tel: 01482 606864
W: www.leatherrepaircompany.com
E: info@leatherrepaircompany.com

Emergency telephone number : ~~01904 614006~~ 01482 606864

2. Composition/information on ingredients

Chemical characterisation
Aqueous polyurethane dispersion with various fillers
Hazardous ingredients
Ammonia 0.5 – 1%

3. Hazards identification

No special hazards have to be mentioned.

Safety Data Sheet in accordance with 2001/58/EEC

Flexifiller

Version : 01

Created on 30/10/05
Date of Printing: 23/06/13

4. First aid measures

General information
Take affected person to fresh air.

After contact with skin
In case of contact with skin wash off immediately with plenty of water

After contact with eyes
In case of contact with eyes rinse thoroughly with water

After ingestion
Rinse mouth thoroughly with water.
Obtain medical advice.

5. Fire-fighting measures

Suitable extinguishing media
Extinguishing measures to suit surroundings

Extinguishing media that must not be used for safety reasons
no restrictions

Further information
Fire residues and contaminated fire fighting water must be disposed of in accordance with the local regulations.

Safety Data Sheet in accordance with 2001/58/ECC

Flexifiller

Version : 01

Created on 30/10/05
Date of Printing : 23/06/13

6. Accidental release measures

Environmental precautions
Do not discharge into the subsoil/soil.

Methods for cleaning up/taking up
Take up with absorbent material (eg sand, universal binder)
Clean equipment with water.

Additional information
Information regarding personal protective measures see, chapter 8.

7. Handling and storage

Advice on safe handling
Observe the usual precautions for handling chemicals
Advice on protection against fire and explosion
No special measures necessary

8. Exposure controls/personal protection

Hygiene measures
Wash hands before breaks and after work.

Hand protection :
Protective gloves

Eye protection :
safety glasses
e.g. when filling and cleaning apparatus

Body protection :
protective clothing

Safety Data Sheet in accordance with 2001/58/EEC

Flexifiller

Version : 01
Created on 30/10/05
Date of Printing : 23/06/13

9. Physical and chemical properties

Form : Liquid
Colour : milky appearance
Boiling point : 100 °C
Flash point : > 100 °C
Density : 1,05 g/cm³
Solubility in water : miscible
pH value : 7,5 – 9,5

10. Stability and reactivity

Thermal decomposition : No decomposition if used as prescribed.
Hazardous decomposition products : When used and handled as intended, none.

11. Toxicological information

Acute oral toxicity :
Irritant effect on skin : non-irritant
Irritant effect on eyes : non-irritant
Remarks : The product was classified on the basis of the calculation procedure of the preparations directive (88/379/EC).

Safety Data Sheet in accordance with 2001/58/EEC

Flexifiller

Version : 01

Created on 30/10/05

Date of Printing : 23/06/13

12. Ecological information

Remarks
No data available.

13. Disposal considerations

Product
Dispose of in accordance with local authority regulations

Uncleaned packaging
Regulations concerning reuse or disposal of used packaging materials must
be observed.

14. Transport information

ADR not restricted

RID not restricted

ADNR not restricted

IMDG not restricted

IATA not restricted

15. Regulatory information

Labelling in accordance with EC-Directives
The product does not require a hazard warning label in accordance with EC
directives / UK regulations on dangerous substances.

National regulations

Safety Data Sheet in accordance with 2001/58/EEC

Flexifiller

Version : 01

Created on 30/10/05

Date of Printing : 23/06/13

16. Other information

This information is based on our present state of knowledge. It should not therefore be construed as guaranteeing specific properties of the products described or their suitability for a particular application.