

SAFETY DATA SHEET

according to (EU) Regulation 2015/830

Page 1/5
Revision: 0
Revision date: 28/03/2022

Leather Spew Remover

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier LRC55
Product name LEATHER SPEW REMOVER

1.2. Relevant identified uses of the substance or mixture and uses advised against

Product Use [SU21] Consumer uses: Private households; [SU22] Professional uses: Public domain; [PC35] Washing and cleaning products (including solvent based products); [PROC10] Roller application or brushing; [PROC11] Non industrial spraying; [PROC19] Hand-mixing with intimate contact and only PPE available [ERC8a] Wide dispersive indoor use of processing aids in open systems.

Description Detergent Solution.

1.3. Details of the supplier of the safety data sheet

Company Leather Repair Company
Address Unit 22
Argyle Street Factory Estate
Hull
East Yorkshire, HU3 1HD
United Kingdom

Web www.leatherrepaircompany.com
Telephone 44 (0)1482 606864
Fax
Email help@leatherrepaircompany.com

Email address of the competent person
help@leatherrepaircompany.com

1.4. Emergency telephone number
44 (0)1482 606864 7.30 am - 4.00 pm Mon – Fri

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Eye Irrit. 2: H319;

2.2. Label elements

Label elements under CLP:
Hazard statements: H319 - Causes serious eye irritation.

Signal words: Warning

Hazard pictograms: GHS07: Warning



Precautionary statements: P102: Keep out of reach of children.
P280 - Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313 - If eye irritation persists: Get medical advice/attention.

2.3. Other hazards

PBT: This product is not identified as a PBT substance.

Leather Spew Remover

Page 2/5
Revision: 0
Revision date: 28/03/2022

SECTION 3: Composition/information on ingredients

3.2. Mixtures

EC 1272/2008

Chemical Name	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Sodium Castorate	8013-06-7		Exempt	1 – 5	Eye Irrit. 2: H319
DIPROPYLENEGLYCOL METHYLEETHER	34590-94-8	252-104-2	01-2119450011-60-XXXX	1 – 5	Not Classified under current CLP
Sodium Laureth Sulphate	68891-38-3	500-234-8	01-2119488639-16-XXXX	<0.5	Eye Dam. 1 H318 Skin Irrit. 2 H315 Aquatic Chronic 3 H412
Chelate				0.1 – 1.0	Not Classified under current CLP

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air.
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open.
Skin contact	Wash off immediately with plenty of soap and water. Remove contaminated clothing.
Ingestion	DO NOT INDUCE VOMITING.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	Inhalation may cause coughing, tightness of the chest and irritation of the respiratory system.
Eye contact	Irritating to eyes.
Skin contact	May cause irritation to skin.
Ingestion	Ingestion may cause nausea and vomiting.

4.3. Indication of any immediate medical attention and special treatment needed

Inhalation	If you feel unwell, seek medical advice (show the label where possible).
Eye contact	Seek medical attention if irritation or symptoms persist.
Skin contact	Seek medical attention if irritation or symptoms persist.
Ingestion	If you feel unwell, seek medical advice (show the label where possible).

SECTION 5: Firefighting measures

5.1. Extinguishing media

Use extinguishing media appropriate to the surrounding fire conditions.

5.2. Special hazards arising from the substance or mixture

Burning produces irritating, toxic and obnoxious fumes.

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation of the working area. Avoid contact with skin and eyes.

6.2. Environmental precautions

Do not allow product to enter drains. Prevent further spillage if safe.

6.3. Methods and material for containment and cleaning up

Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.

6.4. Reference to other sections

See section 8. EXPOSURE CONTROLS / PERSONAL PROTECTION for further information.
See section 13. DISPOSAL CONSIDERATIONS for further information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Ensure adequate ventilation of the working area. Avoid contact with eyes and skin.
Adopt best Manual Handling considerations when handling, carrying and dispensing.

7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed. Keep in a cool, dry, well-ventilated area.
Store in correctly labelled containers.

7.3. Specific end use(s)

See section 1.2. Relevant identified uses of the substance or mixture and uses advised against for further information.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure controls.

Sodium Laureth Sulphate

DNEL

Workers - Dermal; Long term systemic effects: 2750 mg/kg

Workers - Inhalation; Long term systemic effects: 175 mg/m³

Consumer - Dermal; Long term systemic effects: 1650 mg/kg

Consumer - Inhalation; Long term systemic effects: 52 mg/m³

Consumer - Oral; Long term systemic effects: 15 mg/kg

PNEC –

- Fresh water; 0.24 mg/l

- marine water; 0.024 mg/l

- Intermittent release; 0.071 mg/l

- Sediment (Freshwater); 5.45 mg/kg

- Sediment (Marinewater); 0.545 mg/kg

- Soil; 0.946 mg/kg

- STP; 10000 mg/l

DIPROPYLENEGLYCOL METHYLEETHER

DNEL

Workers - Dermal; Long term systemic effects: 283 mg/kg/day

Workers - Inhalation; Long term systemic effects: 308 mg/kg

Consumer - Dermal; Long term systemic effects: 121 mg/kg/day

Consumer - Inhalation; Long term systemic effects: 37.2 mg/m³

Consumer - Oral; Long term systemic effects: 36 mg/kg/day

PNEC

- Fresh water; 19 mg/l –

-Marine water; 1.9 mg/l –

- Intermittent release; 190 mg/l –

-STP; 4168 mg/l

- Sediment (Freshwater); 70.2 mg/kg/day

- Sediment (Marinewater); 7.02 mg/kg/day

- Soil; 2.74 mg/kg/day

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Ensure adequate ventilation of the working area.

8.2.2. Individual protection measures

Wear protective clothing.

Eye / face protection

Approved safety goggles.

Skin protection – Hand protection

Wear suitable gloves.

Skin protection - Other

Wear suitable protective clothing.

Respiratory protection

Wear suitable respiratory equipment when necessary.

Occupational exposure controls

Keep away from food, drink and animal feedingstuffs.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Liquid

Colour:

Faint Amber

Odour:

Characteristic

Odour threshold:

Not determined.

pH-value at 20 °C:

8.0 ± 2.0

Melting point:

Not determined.

Boiling point:

Not determined.

Flash point:

Not applicable.

Flammability (solid, gaseous):

Not applicable.

Auto-ignition temperature:

Not determined.

Decomposition temperature:

Not determined.

Self-igniting:

Not determined.

Danger of explosion:

Product does not present an explosion hazard.

Explosion limits:

Not determined.

Vapour pressure:

Not determined.

Leather Spew Remover

Page 4/5
Revision: 0
Revision date: 28/03/2022

Density at 20 °C:	1.010 ± 0.02g/cm ³
Relative density	Not determined.
Vapour density	Not determined.
Particle characteristics	Not applicable (liquid)
Evaporation rate	Not determined.
Solubility in / Miscibility with water:	Fully miscible.
oxidizing properties	Not determined.
Partition coefficient (n-octanol/water):	Not determined.
Viscosity:	
Dynamic at 20 °C:	Not determined.
Kinematic:	Not determined.

9.2. Other information

Conductivity	No data available
Surface tension	No data available
Gas group	No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No data is available on this product.

10.4. Conditions to avoid

No data is available on this product.

10.5. Incompatible materials

No data is available on this product.

10.6. Hazardous decomposition products

No data is available on this product.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Skin corrosion/irritation	May cause irritation to skin.
Serious eye damage/irritation	May cause irritation to eyes.

11.1.4. Toxicological Information

Acute toxicity: Not determined.

SECTION 12: Ecological information

12.1. Toxicity

Not determined.

12.2. Persistence and degradability

No data is available on this product.

12.3. Bioaccumulative potential

No data is available on this product.

Partition coefficient: No data available

12.4. Mobility in soil: No data is available on this product.

12.5. Results of PBT and vPvB assessment

No data is available on this product.

12.6. Other adverse effects

No data is available on this product.

SECTION 13: Disposal considerations

Leather Spew Remover

Page 2/5

Revision: 0

Revision date: 28/03/2022

13.1. Waste treatment methods

Dispose of in compliance with all local and national regulations.

SECTION 14: Transport information

14.1. UN number

The product is not classified as dangerous for carriage.

14.2. UN proper shipping name

The product is not classified as dangerous for carriage.

14.3. Transport hazard class(es)

The product is not classified as dangerous for carriage.

14.4. Packing group

The product is not classified as dangerous for carriage.

14.5. Environmental hazards

The product is not classified as dangerous for carriage.

14.6. Special precautions for user

The product is not classified as dangerous for carriage.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

The product is not classified as dangerous for carriage.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

according to 1907/2006/EC, with its amendment Regulation (EU) 2015/830
REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18
December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals
(REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing
Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council
Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

15.2. Chemical safety assessment

No data is available on this product.

SECTION 16: Other information

Other information

Revision

Text of Hazard Statements in Section 3

Eye Dam. 1: H318	Causes serious eye damage.
Aquatic Chronic 3: H412	Harmful to aquatic life with long lasting effects.
Eye Irrit. 2: H319	Causes serious eye irritation.
H319	Causes serious skin irritation.

Further information

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.